



COMMISSIONERS' ROAD REPORT

Kaufman County

Precinct 4

Fiscal Year 2015-2016

Commissioner Jakie Allen

Kaufman County PCT 4
Commissioners Report

Fiscal Year 2016-2017

COUNTY OF KAUFMAN COUNTY
PRECINCT NO 4

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct: Evaluation of roads shows at least 60% are in poor condition.

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year.

Estimate of	\$ 18,803,563.97
<u>Culverts</u>	<u>\$ 25,500.00</u>
Grand Total	\$ 18,829,063.97

3. Number of traffic control devices in the precinct defaced or torn down: 60


4. Any new road that should be opened in the precinct. Unknown at this time

5. Any bridges, culverts or other improvements necessary to place the precinct roads in good condition, and the probable cost of improvement. At this time it appears 35 culverts will need to be replaced when road repairs are in process. The cost of these culverts \$25,500.00.

Submitted by the undersigned on this 27 day of June.

[Signature]
Commissioner, Precinct 4

Subscribed and sworn to, before me, the undersigned authority, this 27 day of June.



[Signature]
Notary Public
Leona Bounds
My commission expires: 1-31-18 12410631.4

(File in the minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year-Section 251.005, Transportation Code)

ROAD	LTH	WIDTH	TYPE	CONDITION	CULVERTS	COST	REPAIR TYPE	DEGRADATION
1 st Street North	.5	18	o	P	3	35,638.20	Stabilize, chip seal	1,2,3,4,5
1 st Street South	.7	18	o	P	4	50,239.06	Stabilize, Chip Seal	1,2,3,4,5
2 nd Street North	.6	18	o	P	3	43,223.60	Stabilize, Chip Seal	1,2,3,4,5
2 nd Street South	.8	18	o	p	3	57,252.82	Stabilize, Chip Seal	1,2,3,4,5
3 rd Street North	1.1	18	o	p	3	78,865.76	Stabilize, Chip Seal	1,2,3,4,5
3 rd Street South	.7	18	o	p	2	50,239.06	Stabilize, Chip Seal	1,2,3,4,5
Acorn Circle	.4	20	o	p	0	32,058.45	Stabilize, Chip Seal	5
Acre Lane	1.1	18	o	p	3	78,865.76	Stabilize, Chip Seal	5
Alene Drive	.1	16	cs	f	1	6,429.06	Stabilize, Chip Seal	5
Alicia Place	.4	16	cs	f	1	26,325.30	Stabilize, Chip Seal	5
Anchor	.2	18	o	f	1	14,595.94	Stabilize, Chip Seal	5
Apple Blossom	.08	14	o	p	2	4,574.83	Stabilize, Chip Seal	5
Armadillo Drive	.5	18	r	g	2	35,638.20	Stabilize, Chip Seal	5
Austin Circle	.1	18	cs	p	1	10,596.67	Stabilize, Chip Seal	5
Avant Lane	.5	16	o	p	3	35,638.20	Stabilize, Chip Seal	5
Bar-Ten Lane	1.3	18	o	f	3	92,894.34	Stabilize, Chip Seal	5
Bernie Drive	.3	18	o	p	4	21,045.62	Stabilize, chip Seal	5
Bluebonnet Drive	1.6	18	cs	f	3	114,505.68	Stabilize, Chip Seal	5
Breeland Drive	.4	18	o	f	1	29,191.80	Stabilize, Chip Seal	5
Briarwood Drive	.7	17	cs	f	4	47,729.35	Stabilize, Chip Seal	5
Bridges Lane	.3	16	r	p	1	15,867.93	Stabilize, Chip Seal	5
Brockwood Lane	.5	18	cs	p	2	35,638.20	Stabilize, Chip Seal	5
Buddy Parker Road	.4	16	a	g	0	26,325.30	Stabilize, Chip Seal	5
Cedar Acres Loop	1.9	18	o	p	4	129,330.86	Stabilize, Chip Seal	5
Cedar Acres Drive	1	18	o	g	1	68,657.30	Stabilize, Chip Seal	1,2,3,5
Cedar Lane	.4	18	a	p	3	29,191.80	Stabilize, Chip Seal	5
Cedar Ridge	.5	18	cs	g	3	35,638.20	Stabilize, Chip Seal	5
Cedar Trail Circle	.006	30	cs	p	1	61,141.76	Stabilize, Chip Seal	5
Cedar Trail Court	.005	30	cs	g	1	57,141.76	Stabilize, Chip Seal	5
Cedar Trail Place	.005	30	cs	g	1	57,141.76	Stabilize, Chip Seal	5
Chambless Lane	.4	16	o	p	2	26,325.30	Stabilize, Chip Seal	5
Chaparrel	.6	18	cs	g	3	43,223.60	Stabilize, Chip Seal	5
Chase	.2	18	cs	p	0	14,595.94	Stabilize, Chip Seal	5
Cherokee Trail	.5	18	cs	f	1	35,638.20	Stabilize, Chip Seal	5
Cherry Blossom	.2	16	o	p	2	12,858.15	Stabilize, Chip Seal	5
Chrestman Lane	.4	18	o	p	1	29,191.80	Stabilize, Chip Seal	5
Chris Trail	.2	18	cs	g	2	14,595.94	Stabilize, Chip Seal	5
Choctaw Drive	.4	18	o	g	2	29,191.80	Stabilize, Chip Seal	5
Circle	.09	14	r	p	2	4,850.89	Stabilize, Chip Seal	5
City Lake Road	.6	19	cs	p	3	52,645.48	Stabilize, Chip Seal	5
Clearview Lane	.3	17	r	f	2	20,634.23	Stabilize, Chip Seal	5
Coffee lane	.6	18	cs	g	3			
Cook Lane	.4	16	r	f	2	26,325.30	Stabilize, Chip Seal	5
Cougar Road	.3	18	r	g	2	21,045.62	Stabilize, Chip Seal	5

Kaufman County PCT 4

2016-2017 Road Report

ROAD	LTH	WIDTH	TYPE	CONDITION	CULVERTS	COST	REPAIR TYPE	DEGRADATION
Country Club Drive	1.2	18	a	g	3	85,661.76	Stabilize, Chip Seal	5
Daisy Lane	.3	16	o	p	2	15,867.93	Stabilize, Chip Seal	5
Dawson Road	.3	16	o	f	2	15,867.93	Stabilize, Chip Seal	5
Deer Run	.3	18	r	g	1	21,045.62	Stabilize, Chip Seal	5
Diamond Ave	1	18	cs	p	0	53,223.60	Stabilize, Chip Seal	5
Don Court	.02	14	r	g	0	11,468.39	Stabilize, Chip Seal	5
Emerald Blvd	.5	20	cs	f	2	39,224.79	Stabilize, Chip Seal	5
Eubanks	.3	18	o	f	4	21,045.62	Stabilize, Chip Seal	5
Eve Circle	.1	16	cs	P	0	6,429.06	Stabilize, Chip Seal	5
Evergreen Drive	.3	18	concrete	g	2			
Fairway	.1	18	cs	f	1	10,596.67	Stabilize, Chip Seal	5
Falcon Road	1	18	o	p	2	68,657.30	Stabilize, Chip Seal	1,2,3,4,5
Fallbrook	.5	18	cs	p	0	35,638.20	Stabilize, Chip Seal	5
Farr Alton Road	2.4	18	o	g	3	171,758.54	Stabilize, Chip Seal	1,2,3,5
Fludd Road	.1	16	r	f	1	6,429.06	Stabilize, Chip Seal	5
Fogleman Road	.8	16	cs	p	3	51,519.55	Stabilize, Chip Seal	1,4,5
Four Oaks Circle	.2	18	cs	p	0	14,595.94	Stabilize, Chip Seal	5
Four Oaks Drive	.8	16	o	p	4	51,519.55	Stabilize, Chip Seal	5
Garza Lane	.4	18	r	f	1	29,191.80	Stabilize, Chip Seal	5
Goldwater	.1	16	o	p	0	6,429.06	Stabilize, Chip Seal	5
Golden Lane	.2	14	r	f	2	11,468.39	Stabilize, chip Seal	5
Greer Road	.3	18	r/d	p	1	21,045.62	Stabilize, chip Seal	5
Harlan Lane	.3	14	r/cs	f	2	17,311.34	Stabilize, Chip Seal	5
Harlan Road	.3	18	o	f	1	21,045.62	Stabilize, Chip Seal	5
Havenridge Lane	.6	18	concrete	f	4			
Haley Way	.5	18	cs	p	1	35,638.20	Stabilize, Chip Seal	5
Hickory Circle	.2	16	cs	p	1	12,858.15	Stabilize, Chip Seal	5
Hill	.3	18	r	p	0	21,045.62	Stabilize, Chip Seal	5
Hilltop Drive	.3	16	O	p	2	15,867.93	Stabilize, Chip Seal	1,2,3,4,5
Holly Street	.4	18	cs	p	1	29,191.80	Stabilize, Chip Seal	5
Horse Lane	.2	15	r	p	1	11,891.30	Stabilize, Chip Seal	5
Horseshoe Drive	.4	16	r	p	2	26,325.30	Stabilize, Chip Seal	5
Horton Lane	.5	17	r	f	1	35,638.20	Stabilize, Chip Seal	5
Hyde Away Lane	.4	17	r	f	1	15,042.44	Stabilize, Chip Seal	5
Jane Circle	.1	16	cs	p	0	6,429.06	Stabilize, Chip Seal	5
Jasper	.5	18	cs	f	0	35,638.20	Stabilize, Chip Seal	5
Jeanell Drive	.3	16	cs	f	1	15,867.93	Stabilize, Chip Seal	5
Joshua Lane	.4	18	cs	f	3	29,191.80	Stabilize, Chip Seal	5
Kelly Road	1	20	cs	f	4	75,819.74	Stabilize, Chip Seal	1,2,3,4,5
Lady Bird	.3	19	o	p	2	22,686.14	Stabilize, Chip Seal	5
Lagow	.4	18	r	p	2	29,191.80	Stabilize, Chip Seal	1,3,5
Lake Ridge	.4	18	concrete	g	2			
Lakeshore Drive	.6	18	o	p	5	43,223.60	Stabilize, Chip Seal	5
Lakeside Drive	.8	17	r/o	p	4	54,386.27	Stabilize, Chip Seal	5
Lane Ave	.3	18	r	p	1	21,045.62	Stabilize, Chip Seal	5
Lanier	.3	18	asphalt	g	0			

Kaufman County PCT 4

2016-2017 Road Report

ROAD	LTH	WIDTH	TYPE	CONDITION	CULVERTS	COST	REPAIR TYPE	DEGRADATION
Legg Drive	.2	16	cs	f	1	12,858.15	Stabilize, Chip Seal	5
Leisure Oaks	.5	18	o	p	1	35,638.20	Stabilize, Chip Seal	5
Magnolia Mound	.3	18	a	f	1	21,045.62	Stabilize, Chip Seal	5
Malloy Bridge Road	.7	24	a	P	0	65,156.46	Stabilize, Chip Seal	1,2,3,4,5
Marina Drive	.2	16	cs	p	0	12,858.15	Stabilize, Chip Seal	5
Market (east)	.3	12	r/o	f	1	14,595.94	Stabilize, Chip Seal	5
Martin Lane	.3	18	asphalt	f	2			
Masthead	.2	18	o	f	1	14,595.94	Stabilize, Chip Seal	5
Memory Lane	.1	18	r	f	0	10,596.67	Stabilize, Chip Seal	5
Molee-Bess Road	.3	18	cs	f	1	21,045.62	Stabilize, Chip Seal	5
Morningside	.1	16	cs	f	0	6,429.06	Stabilize, Chip Seal	5
Mister B's Blvd	.6	18	r	g	2	43,223.60	Stabilize, Chip Seal	5
Nelms Road	.3	18	o	f	1	21,045.62	Stabilize, Chip Seal	5
Nichols	.2	18	r	p	1	14,595.94	Stabilize, Chip Seal	5
Northlake Circle	.6	18	a	g	3	43,223.60	Stabilize, Chip Seal	5
Northridge	.3	18	cs	p	0	21,045.62	Stabilize, Chip Seal	5
Oak Hollow	.8	18	concrete	g	7			
Oak Trail	1.5	18	cs	p	5			
Orange Blossom	.3	16	o	p	1	15,867.93	Stabilize, Chip Seal	5
Park Circle	.1	18	o	p	1	10,596.67	Stabilize, Chip Seal	5
Peach Blossom	.1	14	o	p	2	6,429.06	Stabilize, Chip seal	5
Plain Lane	.2	15	r	f	0	11,891.30	Stabilize, Chip Seal	5
Plainview Drive	1.5	15	cs/r	f	2	90,800.64	Stabilize, Chip Seal	5
Pleasure Hills Drive	1	18	r	p	1	68,657.30	Stabilize, Chip Seal	5
Poe Lane	.6	16	o	p	2	38,922.54	Stabilize, Chip Seal	5
Pole Bridge	.6	18	cs	f	1	43,223.60	Stabilize, Chip Seal	5
Quail Creek	.1	16	cs	f	0	6,429.06	Stabilize, Chip Seal	5
Rabbit	.5	18	r	g	2	35,638.20	Stabilize, Chip Seal	5
R & R Circle	1.4	18	cs	p	4	98,923.26	Stabilize, Chip Seal	1,2,3,4,5
Ridgeview Cr (east)	.5	20	cs	p	1	39,224.79	Stabilize, Chip seal	5
Ridgeview Cr (west)	.5	20	cs	p	1	39,224.79	Stabilize, Chip Seal	5
Robbie Lane	.5	18	o/d	p	1	35,638.20	Stabilize, Chip Seal	5
Rose Lane	.5	18	o/d	p	3	35,638.20	Stabilize, Chip Seal	5
Rustic Oaks	.7	20	a/r	f	2	55,079.99	Stabilize, Chip Seal	1,2,3,4,5
Sandy Ridge	1.3	16	r	p	1	83,578.19	Stabilize, Chip Seal	5
Shady Lane	3.2	18	a/cs	g	10	228,967.88	Stabilize, Chip Seal	5
Shanda	.3	16	cs	f	0	15,867.93	Stabilize, Chip Seal	5
Sheppard	.3	18	r	f	0	21,045.62	Stabilize, Chip Seal	5
Sherwood	.3	20	cs	f	2	26,045.62	Stabilize, Chip seal	5
Shore Drive	.4	16	cs	f	1	26,325.30	Stabilize, Chip Seal	5
Silver Creek Drive	1.5	18	cs	p	2	106,924.94	Stabilize, Chip Seal	1,2,3,4,5
Smack Over	.1	16	cs	f	1	6,429.06	Stabilize, Chip Seal	5
Smoke Lane	.4	18	o/d	p	2	29,191.80	Stabilize, Chip Seal	5
Snowden	.4	18	cs	f	2	29,196.80	Stabilize, Chip Seal	5
Star Trail	.5	18	cs	p	3	35,638.20	Stabilize, Chip Seal	5
Sunflower	.2	18	o/d	p	1	14,595.94	Stabilize, Chip Seal	5

Kaufman County PCT 4

2016-2017 Road Report

ROAD	LTH	WIDTH	TYPE	CONDITION	CULVERTS	COST	REPAIR TYPE	DEGRADATION
Tarleton Road	2.8	18	cs	f	4	195,643.46	Stabilize, Chip Seal	5
Taylor Ranch Loop	3.3	18	cs	p	10	233,967.88	Stabilize, Chip Seal	1,4,5
Teague Lane	.2	18	rm	f	0	14,595.94	Stabilize, Chip Seal	5
Tennis Ct Drive	.2	16	cs	g	0	12,858.15	Stabilize, Chip Seal	5
Terrace Drive	1	20	a	f	5	75,819.74	Stabilize, Chip Seal	5
Texas	.1	18	cs	f	1	10,596.67	Stabilize, Chip Seal	5
Thomas Lane	.4	18	d	p	1	29,191.80	Stabilize, Chip Seal	5
Timber Trail	2.5	17	cs	p	0	182,643.46	Stabilize, Chip Seal	1,2,3,4,5
Timmeron	.368	18	asphalt	f	0		Stabilize, Chip seal	
Top Court	.1	16	o/d	g	2	6,429.06	Stabilize, Chip Seal	5
Trunk Street	1	18	rm	p	0	68,657.30	Stabilize, Chip Seal	1,2,3,5
Turner Line	.2	17	r	f	1	17,858.15	Stabilize, Chip Seal	5
Union Hill	.6	20	cs	f	2	47,223.60	Stabilize, Chip Seal	5
Valentine	.7	18	o/d	p	3	50,239.06	Stabilize, Chip Seal	5
Venner Circle	.3	22	cs	p	1	186,643.46	Stabilize, Chip Seal	1,2,3,5
Victor	.4	18	r	g	2	29,191.80	Stabilize, Chip Seal	5
Watson Drive	.4	16	r	p	1	26,325.30	Stabilize, Chip Seal	5
White Lane	.3	16	r	f	1	15,867.93	Stabilize, Chip Seal	5
White Rock Road	.4	17	rm	p	2	27,766.61	Stabilize, Chip Seal	5
Willis Lane	.7	16	r	f	2	44,916.63	Stabilize, Chip Seal	5
Winding Trail	.1	20	concrete	g	0			
Woodbine Drive	.3	16	r	f	1	15,867.93	Stabilize, Chip Seal	5
Woodland Drive	.6	18	o	f	0	43,223.60	Stabilize, Chip Seal	5
Woodruff Circle	1.7	18	cs	p	5	119,505.68	Stabilize, Chip Seal	5
Woodruff Lane	.4	18	cs	f	0	29,191.80	Stabilize, Chip seal	5
Woods North Drive	.9	18	r/o	p	1	62,252.82	Stabilize, Chip Seal	5
Wynchase	1.3	18	cs	p	0	92,894.34	Stabilize, Chip Seal	5
Wynchase Lane	.4	18	cs	p	0	29,191.80	Stabilize, Chip Seal	5
CR 116	1.6	18	r	f	8	114,505.68	Stabilize, Chip Seal	5
CR 117	.8	18	r	f	3	57,252.82	Stabilize, Chip Seal	5
CR 155	.3	18	cs	p	2	21,045.62	Stabilize, Chip Seal	5
CR 155A	1.3	18	cs	p	3	92,894.34	Stabilize, Chip Seal	1,2,5
CR 257	1.4	15	r	p	3	101,924.94	Stabilize, Chip Seal	1,4,5
CR 269	.7	15	r	f	4	40,916.63	Stabilize, Chip Seal	5
CR 4001	.9	18	o/r	p	1	64,094.06	Stabilize, Chip Seal	5
CR 4003	1.5	18	o	f	4	106,924.94	Stabilize, Chip Seal	5
CR 4004	.7	16	r	f	3	44,916.63	Stabilize, Chip Seal	5
CR 4006	.6	18	asphalt	p	0			
CR 4007	1.5	18	o	p	3	106,924.94	Stabilize, Chip Seal	5
CR 4008	1.4	18	r/d	p	4	98,923.26	Stabilize, Chip Seal	5
CR 4009	1.9	18	o	f	6	129,330.86	Stabilize, Chip Seal	1,2,3,5
CR 4010	.9	18	r/o	f	2	62,252.82	Stabilize, Chip Seal	5
CR 4011	2.3	19	o	f	4	182,643.46	Stabilize, Chip Seal	1,2,4,5
CR 4011A	.8	16	r	f	2	53,252.82	Stabilize, Chip Seal	5
CR 4012	1.6	18	o/d	f	4	114,505.68	Stabilize, Chip Seal	5
CR 4013	1.1	18	r	g	4	78,865.76	Stabilize, Chip Seal	5

Kaufman County PCT 4

2016-2017 Road Report

ROAD	LTH	WIDTH	TYPE	CONDITION	CULVERTS	COST	REPAIR TYPE	DEGRADATION
CR 4013A	.6	18	0	p	2	43,223.60	Stabilize, Chip Seal	5
CR 4014	1	18	r/o	f	3	68,657.30	Stabilize, Chip Seal	5
CR 4015	4	18	o	f	9	274,629.00	Stabilize, Chip Seal	4,5
CR 4016	2.9	18	os	f	8	195,964.34	Stabilize, Chip Seal	5
CR 4016A	1	16	o	f	1	66,657.00	Stabilize, Chip Seal	5
CR 4017	6.6	18	o/d	p	10	250,967.85	Stabilize, Chip Seal	4,5
CR 4018	1.8	18	cs	G	5			
CR 4019	1.9	16	cs	g	3			
CR 4020	2.4	20	rm	p	6	187,643.46	Stabilize, Chip Seal	5
CR 4023	2.1	19	o/r	p	11	185,643.46	Stabilize, Chip Seal	5
CR 4024	.5	17	o/r	g	2	41,223.60	Stabilize, Chip Seal	5
CR 4026	1.4	18	d/r	p	3	98,923.26	Stabilize, Chip Seal	5
CR 4027	4	18	o/r	P	4	274,629.00	Stabilize, Chip Seal	1,2,5
CR 4028	5.5	18	o/d/r	p	9	239,967.85	Stabilize, Chip Seal	1,2,4,5
CR 4029	1.1	18	o	p	3	78,865.76	Stabilize, Chip Seal	1,2,5
CR 4030	.8	18	o	f	4	57,252.82	Stabilize, Chip Seal	1,2,5
CR 4031	4.6	18	o	p	12	234,967.88	Stabilize, Chip Seal	5
CR 4031A	.3	16	r	f	1	15,867.93	Stabilize, Chip Seal	5
CR 4031B	.4	16	r	p	0	26,325.30	Stabilize, Chip Seal	5
CR 4032	.2	18	o	f	2	14,595.94	Stabilize, Chip Seal	5
CR 4035	1.6	18	o	p	5	114,505.68	Stabilize, Chip Seal	1,2,3,5
CR 4035A	.7	15	d	p	2	40,916.63	Stabilize, Chip Seal	5
CR 4036	2.6	18	r	p	4	190,643.46	Stabilize, Chip Seal	5
CR 4037	2	17	cs	f	3	136,314.00	Stabilize, Chip Seal	1,2,5
CR 4037A	.2	15	r	f	0	11,891.30	Stabilize, Chip Seal	5
CR 4037B	.4	15	r	f	2	15,891.30	Stabilize, Chip Seal	5
CR 4038	.8	18	cs	f	2	57,252.82	Stabilize, Chip Seal	5
CR 4039	.2	17	cs	f	0	14,858.15	Stabilize, Chip Seal	5
CR 4040	3.5	18	cs	p	11	238,967.88	Stabilize, Chip Seal	1,3,5
CR 4041	.6	18	o	p	1	55,252.82	Stabilize, Chip Seal	5
CR 4042	2.3	18	o	p	6	186,643.46	Stabilize, Chip Seal	1,2,5
CR 4043	1.1	18	o	p	2	78,865.76	Stabilize, Chip Seal	5
CR 4044	2	19	cs	f	4	138,414.00	Stabilize, Chip Seal	5
CR 4045	1.7	18	o	f	4	119,505.68	Stabilize, Chip Seal	1,2,5
CR 4045A	.8	18	o	p	4	57,252.82	Stabilize, Chip Seal	1,2,5
CR 4047	.5	16	r	f	3	23,045.62	Stabilize, Chip Seal	5
CR 4048	.5	18	r	f	2	25,045.62	Stabilize, Chip Seal	5
CR 4049	.3	18	o	p	2	21,045.62	Stabilize, Chip Seal	5
CR 4050	.8	20	r	f	2	59,252.82	Stabilize, Chip Seal	5
CR 4051	.5	18	o	f	3	35,638.20	Stabilize, Chip Seal	5
CR 4052	3.2	18	r/o	p	8	229,967.88	Stabilize, Chip Seal	5
CR 4053	.9	16	r	f	3	55,252.82	Stabilize, Chip Seal	5
CR 4054	1.5	17	r/o	p	8	102,924.94	Stabilize, Chip Seal	5
CR 4055	2.8	18	o	p	8	195,643.46	Stabilize, Chip Seal	5
CR 4056	2.8	18	o	p	4	195,643.46	Stabilize, Chip Seal	5
CR 4057	3.5	18	o	p	7	238,967.88	Stabilize, Chip Seal	1,5

Kaufman County PCT 4

2016-2017 Road Report

ROAD	LTH	WIDTH	TYPE	CONDITION	CULVERTS	COST	REPAIR TYPE	DEGRADATION
CR 4057A	.2	16	o	p	0	12,858.15	Stabilize, Chip Seal	5
CR 4058	3.3	18	r	p	8	233,967.88	Stabilize, Chip Seal	5
CR 4059	1.6	18	cs	p	4	114,505.68	Stabilize, Chip Seal	1,2,5
CR 4060	3.3	18	a/cs	f	7	233,967.88	Stabilize, Chip Seal	1,2,4,5
CR 4061	7.8	18	cs	f	15	260,387.20	Stabilize, Chip Seal	1,2,4,5
CR 4062	2.1	18	r	p	6	183,642.00	Stabilize, Chip Seal	5
CR 4064	1.9	17	r	f	2	121,505.68	Stabilize, Chip Seal	5
CR 4065	2.7	18	o	f	8	192,643.46	Stabilize, Chip Seal	5
CR 4065A	.4	15	o	p	2	15,891.30	Stabilize, Chip Seal	5
CR 4066	2.4	18	o	g	5	171,758.54	Stabilize, Chip Seal	5
CR 4067	.8	19	cs	p	5	61,252.82	Stabilize, Chip Seal	5
CR 4068	2.8	18	os	p	12	195,643.46	Stabilize, Chip Seal	5
CR 4069	1.1	18	o	p	2	78,865.76	Stabilize, Chip Seal	5
CR 4070	1.7	18	o	f	5	119,505.68	Stabilize, Chip Seal	4,5
CR 4071	.8	18	o	f	3	57,252.82	Stabilize, Chip Seal	5
CR 4072	5.9	18	r/o	p	11	244,967.85	Stabilize, Chip Seal	1,2,4,5
CR 4074	2.2	18	r/o	p	4	184,537.23	Stabilize, Chip Seal	1,2,4,5
CR 4075	1.6	20	o	p	5	116,505.68	Stabilize, Chip Seal	5
CR 4076	3.8	18	o	p	8	237,967.88	Stabilize, Chip Seal	1,2,4,5
CR 4077	2.7	18	o	p	7	190,643.46	Stabilize, Chip Seal	5
CR 4078	.7	18	r	p	1	50,239.06	Stabilize, Chip Seal	5
CR 4079	1.3	18	o	p	4	92,894.34	Stabilize, Chip Seal	5
CR 4079A	.9	18	o	f	3	62,252.82	Stabilize, Chip Seal	5
CR 4080	.3	16	r	p	3	15,867.93	Stabilize, Chip Seal	5
CR 4081	1	16	r/o	f	5	66,657.00	Stabilize, Chip Seal	5
CR 4083	3.3	18	o	p	6	233,967.88	Stabilize, Chip Seal	1,2,5
CR 4083A	.4	18	o	F	2	29,191.80	Stabilize, Chip Seal	5
CR 4084	4.5	20	o	p	9	232,967.88	Stabilize, Chip Seal	1,4,5
CR 4085	.5	18	d	p	2	25,045.62	Stabilize, Chip Seal	5
CR 4086	.3	18	r	p	3	21,045.62	Stabilize, Chip Seal	5
CR 4087	2.1	18	o	p	3	183,642.00	Stabilize, Chip Seal	5
CR 4088	.5	18	cs	p	3	35,638.20	Stabilize, Chip Seal	5
CR 4089	1	12	o	p	2	62,657.00	Stabilize, Chip Seal	5
CR 4090	4	18	os	p	8	274,629.00	Stabilize, Chip Seal	5
CR 4091	2	18	os	f	3	137,314.00	Stabilize, Chip Seal	5
CR 4093	1.3	17	cs	p	5	88,578.19	Stabilize, Chip Seal	5
CR 4094	1.5	18	cs	p	5	106,924.94	Stabilize, Chip Seal	1,5
CR 4095	3.3	18	cs	p	9	233,967.88	Stabilize, Chip Seal	1,5
CR 4096	2.3	18	cs	f	6	186,643.46	Stabilize, Chip Seal	5
CR 4097	.9	18	asphalt	g	3			
CR 4098	1.9	18	a/cs	g	5	68,657.30	Stabilize, Chip Seal	5
CR 4099	.8	18	cs	p	2	57,252.82	Stabilize, Chip Seal	5
CR 4100	.6	18	cs	g	3	43,223.60	Stabilize, Chip Seal	5
CR 4101	2.5	18	cs	p	7	186,643.46	Stabilize, Chip Seal	5
CR 4102	1.4	16	o	p	5	98,924.94	Stabilize, Chip Seal	5
CR 4104	2.2	18	cs	p	9		Stabilize, Chip Seal	4,5

